




OPTIPLEX 5270 ALL-IN-ONE

21.5" Narrow bezel all-in-one desktop with
Full HD and advanced manageability
and security features.



POWER YOUR WORK

Unleash full performance with Intel® 9th generation processors.
Intel® Standard Manageability (ISM) provides advanced
management capabilities.



SUPERB COLLABORATION

Integrated speakers, a dual array microphone and an optional
pop-up webcam with Full HD or Infrared camera enable
smart interaction.



STUNNING FROM EVERY ANGLE

Equipped with a 21.5" Narrow Bezel Full HD IPS (1920x1080)
display with touch and anti-glare non-touch options.



SMART SOLUTION

Sustainably built designs and ergonomic stands work how you
need. TPM 2.0, lockable port covers and chassis intrusion
switch protect your investment.

25
YEARS
OptiPlex

Recommended Accessories

OPTIPLEX 5270 ALL-IN-ONE

PURPOSE-BUILT FOR OPTIPLEX ALL-IN-ONES



OPTIPLEX 5270 ALL-IN-ONE
ARTICULATING STAND

Tilt your display forward, backward, or recline to a 60 degree angle.
This stand makes touchscreen interaction comfortable.



OPTIPLEX 5270 ALL-IN-ONE HEIGHT
ADJUSTABLE STAND

Raise, tilt, pivot or swivel your All-In-One with a stand that
delivers personalized comfort and viewing angles.



OPTIPLEX 5270 ALL-IN-ONE DVD+/-RW
IN HEIGHT ADJUSTABLE STAND

In this custom Height Adjustable Stand, a DVD+/-RW is integrated
into the base of the stand for optimal convenience.



OPTIPLEX ALL-IN-ONE PORT COVER

Designed for OptiPlex All-in-Ones this easy to install, streamlined
solution secures your ports and protects your investment.

DISPLAYS AND INPUT DEVICES



DELL 22 MONITOR - P2219H

The smart choice for dual-display productivity with a 21.5"
screen, full range of adjustable features, slim borders,
and multiple connectivity points.



DELL PRO STEREO HEADSET - UC350

Communicate clearly with a headset optimized to
provide in-person sound quality, certified for
Microsoft Skype for Business.



DELL WIRELESS KEYBOARD
AND MOUSE - KM636

Compact design and chiclet keys,
this essential desktop solution offers
the convenience of wireless and
clutter-free performance.

DELL WIRED MOUSE WITH
FINGERPRINT READER - MS819

Wired mouse with fingerprint reader offers
convenient and secure login and online
access without passwords.



TARGUS STYLUS FOR
CAPACITIVE TOUCH DEVICES

Write accurately and comfortably with a
durable stylus that won't scratch your
screen. Operates with no power or
software required.

Built for business

Dell Technologies Unified Workspace

Dell Technologies Unified Workspace is the most comprehensive solution to deploy, secure, manage and support virtually all devices from the cloud. We designed this revolutionary solution with intelligence and automation providing you with visibility across the entire endpoint environment. We help you save time, improve user experience, optimize resources and strengthen security.




DEPLOY

Our modern deployment solution, ProDeploy in the Unified Workspace allows you to revolutionize the way deployment gets done. By spending just one hour for set up, IT can then hand deployment to Dell and have preconfigured systems shipped directly to the end users--wherever they are.



SECURE

Dell Endpoint Security for the Unified Workspace helps you manage growing cyber risks while embracing workforce transformation. With Dell SafeGuard and Response powered by Secureworks, you gain actionable insight to help you quickly and efficiently prevent, detect and respond to cyber-attacks - keeping your environment free from harm.



MANAGE

We integrated our hardware management solution Dell Client Command Suite with VMware Workspace ONE, allowing you to take advantage of unified endpoint management (UEM) and manage the firmware, operating system and applications for all devices from the Workspace ONE console. UEM simplifies the management of the entire environment saving IT time from having to work between separate consoles for PCs and phones.



SUPPORT

ProSupport Plus continues to be the only predictive and proactive support in the market. When compared to key competitors, ProSupport Plus with SupportAssist reduced time to resolve a failed hard drive with up to 11x faster time to resolution*

*Based on a Principled Technologies test report, "Spend Less Time and Effort Troubleshooting Laptop Hardware Failures" dated April 2018. Testing commissioned by Dell, conducted in the United States. Actual results will vary. Full report: <http://facts.pt/L52XKM>

Features & Technical Specifications

OPTIPLEX 5270 ALL-IN-ONE

Feature	OptiPlex 5270 All-in-One Technical Specifications ¹
Processors ¹	Intel® Pentium G5420 (2 Cores/4MB/4T/3.8GHz/65W); supports Windows 10/Linux Intel® Core™ i3-9100 (4 Cores/6MB/4T/3.6GHz to 4.2GHz/65W); supports Windows 10/Linux Intel® Core™ i3-9300 (4 Cores/8MB/4T/3.7GHz to 4.3GHz/65W); supports Windows 10/Linux Intel® Core™ i5-9400 (6 Cores/9MB/6T/2.9GHz to 4.1GHz/65W); supports Windows 10/Linux Intel® Core™ i5-9500 (6 Cores/9MB/6T/3.0GHz to 4.4GHz/65W); supports Windows 10/Linux Intel® Core™ i5-9600 (6 Cores/9MB/6T/3.1GHz to 4.6GHz/65W); supports Windows 10/Linux Intel® Core™ i7-9700 (8 Cores/12MB/8T/3.0GHz to 4.8GHz/65W); supports Windows 10/Linux
Chipset	Intel® Q370 Chipset
Operating System Options ¹	Microsoft® Windows 10 Home (64-bit) Microsoft® Windows 10 Pro (64-bit) Microsoft® Windows 10 Embedded (OEM only) Ubuntu 16.04 (64-bit) NeoKylin 6.0 (China only)
Panel	21.5" Narrow Bezel FHD IPS (1920X1080) resolution with Glare-Free finish on Non touch; Optional Capacitive Touch screen Via Cover glass
Video ²	Intel Integrated HD Graphics 630
Memory ^{2,3}	4GB (1x4GB) 2666MHz DDR4 8GB (2x4GB) 2666MHz DDR4 8GB (1x8GB) 2666MHz DDR4 16GB (2x8GB) 2666MHz DDR4 16GB (1x16GB) 2666MHz DDR4 32GB (2x16GB) 2666MHz DDR4 (2400MHz performance on Celeron, Pentium, and i3 processors)
Networking ⁴	Integrated Intel® I219-LM Ethernet LAN 10/100/1000 Mb/s Ethernet (RJ-45) with Intel Remote Wake UP and PXE Qualcomm® QCA6174A Dual-band 2x2 802.11ac Wireless with MU-MIMO + Bluetooth 4.2 (Optional) Intel® Wireless-AC 9560, Dual-band 2x2 802.11ac Wi-Fi with MU-MIMO + Bluetooth 5 (Optional) Intel® Wireless-AX200, Dual-Band 2x2 802.11ax Wireless with MU-MIMO + Bluetooth® 5 (Optional)
I/O Ports	1 USB 3.1 Type C Gen 2 port (Side) 1xUSB 3.1 Type A Gen 1 with PowerShare (side) 2xUSB 3.1 Type A Gen 1 (rear) 2x USB 2.0 with Power On/Wake-up support (rear) 3X USB 2.0 (Internal options) 1 DisplayPort (DP++) (rear) ; 1 Universal Audio Jack (side) ; 1 Audio Line-Out (rear); 1 RJ-45 (rear) 1 Power Connection (rear)
Number of Bays	One internal 2.5 inch
Expansion Slots	Two M.2 connectors (one for Wi-Fi card, one for Solid State Drive)
Removable Media	SD 4.0 Media Card Reader (standard) Optional DVD +/-RW Via Height Adjustable Stand
Storage Options ^{1,5}	Dual Storage option 2.5 inch 500GB 5400rpm SATA Hard Disk Drive 2.5 inch 500GB 7200rpm SATA Hard Disk Drive 2.5 inch 500GB 7200rpm FIPS Self Encrypting Opal 2.0 Hard Disk Drive 2.5 inch 1TB 7200rpm SATA Hard Disk Drive 2.5 inch 1TB 5400rpm SATA Hard Disk Drive 2.5 inch 2TB 5400rpm SATA Hard Disk Drive M.2 128GB PCIe NVMe Class 35 Solid State Drive M.2 1TB PCIe Class 40 Solid State Drive M.2 256GB PCIe NVMe Class 40 Solid State Drive M.2 256GB PCIe NVMe Class 35 Solid State Drive M.2 512GB PCIe NVMe Class 40 Self Encrypting Opal 2.0 Solid State Drive M.2 512GB PCIe NVMe Class 40 Solid State Drive M.2 512GB PCIe NVMe Class 35 Solid State Drive

Features & Technical Specifications

OPTIPLEX 5270 ALL-IN-ONE

Feature	OptiPlex 5270 All-in-One Technical Specifications ¹													
Intel® Optane™ Memory	M.2 Intel® Optane™ memory 16GB													
Camera	2.0MP 1080P FHD or Infrared Pop-up Webcam (Supports Windows Hello)													
Power Supply Unit (PSU) ¹	80 PLUS internal Power Supply Unit; optional 155W EPA Bronze or 240W EPA Platinum													
Panel Type	<table><thead><tr><th>Measurement</th><th>Full HD Non-Touch</th><th>Full HD Touch</th></tr></thead><tbody><tr><td>Dimensions (w/o stand) (H x W x D)</td><td>12.95 x 19.61 x 2.15 inches 32.90 x 49.79 x 5.45 cm</td><td>12.95 x 19.61 x 2.15 inches 32.90 x 49.80 x 5.45 cm</td></tr><tr><td>Minimum System Weight (lbs./kg)</td><td>5.33 lbs / 11.75kg</td><td>5.74 lbs / 12.65kg</td></tr></tbody></table>					Measurement	Full HD Non-Touch	Full HD Touch	Dimensions (w/o stand) (H x W x D)	12.95 x 19.61 x 2.15 inches 32.90 x 49.79 x 5.45 cm	12.95 x 19.61 x 2.15 inches 32.90 x 49.80 x 5.45 cm	Minimum System Weight (lbs./kg)	5.33 lbs / 11.75kg	5.74 lbs / 12.65kg
Measurement	Full HD Non-Touch	Full HD Touch												
Dimensions (w/o stand) (H x W x D)	12.95 x 19.61 x 2.15 inches 32.90 x 49.79 x 5.45 cm	12.95 x 19.61 x 2.15 inches 32.90 x 49.80 x 5.45 cm												
Minimum System Weight (lbs./kg)	5.33 lbs / 11.75kg	5.74 lbs / 12.65kg												
Peripherals Options ¹	<p>Stylus: Targus Stylus for Capacitive Touch Devices</p> <p>Keyboards: Dell wired multimedia keyboards, Dell wireless keyboards, Dell Smart Card keyboard</p> <p>Mouse: Dell wired mouse, Dell wireless mouse, Dell USB Laser mouse, Dell Fingerprint Reader Mouse</p> <p>Audio: Optional external speakers, Dell Pro Stereo Headset</p> <p>Locks: Dell Lockable Port Cover, Noble Custom AiO Plate Lock, select Kensington MicroSaver and ClickSafe locks</p> <p>Additional Monitors: Qualified with select Dell UltraSharp, Professional, and E series monitors</p>													
Stand Type (Panel also supports VESA)	Measurement	Basic Stand	Height Adjustable Stand	Height Adjustable Stand with Optical Disk Drive	Articulating Stand									
	Stand Weight (lbs./kg)	5.18 lbs / 2.35 kg	6.64 lbs / 3.01 kg	8.20 lbs / 3.72 kg	7.58 lbs / 3.44 kg									
	Stand Max Height x Width x Depth (inches / centimeters)	9.94 x 9.21 x 7.60 inches 25.26 x 23.40 x 19.30 cm	14.43 x 10.09 x 8.86 inches 36.67 x 25.64 x 22.50 cm	14.68 x 11.34 x 0.77 inches 37.30 x 28.8 x 27.35 cm	9.19 x 10.00 x 9.98 inches 23.35 x 25.42 x 25.36 cm									
Collaboration Software	Optional Intel Unite® Solution and Skype for Business													
Software Security	SafeGuard and Response (powered by Secureworks), Next Generation Antivirus (NGAV), Endpoint Detection and Response (EDR), Managed Endpoint Detection and Response, Incident Management Retainer, SafeData: includes Dell Data Guardian, Dell Encryption, Dell Endpoint Security Services													
Hardware Security	SafeBIOS: includes Dell Off-host BIOS Verification, BIOS Resilience, BIOS Recovery, and additional BIOS Controls; SafeID credential protection; Trusted Platform Module (TPM) 2.0 ⁶ ; Self-Encrypting Storage Drives (Opal, FIPS), Physical Security Options: Chassis lock slot support, Chassis Intrusion Switch, Lockable Port Cover, Smart Card Keyboard, Dell Wired Mouse with Fingerprint Reader													
Systems Management	Dell Client Command Suite for In-Band systems management Intel® Standard Manageability													
Environmental & Regulatory Standards ¹¹	ENERGY STAR, EPEAT Registered ⁷ , TCO Edge Certified, CEL, WEEE, Japan Energy Law, China RoHS Other Environmental Options: Carbon Offset, Asset Resale and Recovery Service. Please see your local representative or www.dell.com for specific details.													
Warranty and Service	Limited Hardware Warranty ⁸ , Standard Next Business Day On Site Service after Remote Diagnosis ⁹ (term varies by region); Optional 3-year Dell ProSupport™ and ProSupport Plus™; 4 year and 5 year service and support options ¹⁰													
Configuration Services	Factory Image load, BIOS Customization, Hardware Customization, Asset Tagging and Reporting													



OPTIPLEX 5270 ALL-IN-ONE

Powerful solutions in a single, elegant design.

Discover professional class desktops at www.dell.com/OptiPlex

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com.
2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
3. 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
4. Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality
5. Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
6. TPM is available in selected regions.
7. Please refer to www.epeat.net for specific country registration rating and participation.
8. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
9. Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
10. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.
11. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19.