




OPTIPLEX 7470 ALL-IN-ONE

# 23.8" InfinityEdge all-in-one featuring Full HD and industry-leading performance and collaboration technology.



## POWERFUL PERFORMANCE

Get more done in less time with the most powerful Intel® 9<sup>th</sup> generation processors up to 8 core i9 65W with optional Intel® vPro™ technology for advanced manageability.



## ULTIMATE COLLABORATION

Optional pop-up webcam available with Full HD or infrared camera enables smart sign-on. Integrated speakers and dual mic array add the ability to Skype or use Cortana at distances up to 12 feet.



## ELEGANT AND EFFICIENT

It's new design optimizes more screen space with a brilliant edge-to-edge Full HD IPS display. A glare-free matte touch option provides hands-on interaction.



## SMART SOLUTION

Designed with a sustainably built, tool-less chassis. Ergonomic stands, privacy filter and lockable port covers enable flexible and secure integration to your environment.

**25** YEARS  
OptiPlex

# Recommended Accessories

## OPTIPLEX 7470 ALL-IN-ONE

### PURPOSE-BUILT FOR OPTIPLEX ALL-IN-ONES



OPTIPLEX 7470 ALL-IN-ONE  
ARTICULATING STAND

Tilt your display forward, backward, or recline to a 60 degree angle.  
This stand makes touchscreen interaction comfortable.



OPTIPLEX 7470 ALL-IN-ONE HEIGHT  
ADJUSTABLE STAND

Raise, tilt, pivot or swivel your All-in-One with a stand that  
delivers personalized comfort and viewing angles.



OPTIPLEX 7470 ALL-IN-ONE DVD+/-RW  
IN HEIGHT ADJUSTABLE STAND

In this custom Height Adjustable Stand, a DVD+/-RW is integrated  
into the base of the stand for optimal convenience.



OPTIPLEX ALL-IN-ONE PORT COVER

Designed for OptiPlex All-in-Ones this easy to install, streamlined  
solution secures your ports and protects your investment.

### DISPLAYS AND INPUT DEVICES



DELL 24 MONITOR - P2419H

Boost This 23.8" FHD screen with 3-sided  
ultrathin bezels is designed for seamless  
multi-display productivity with your 24"  
All-in-One. Its small base frees  
valuable workspace.



TARGUS 24" 4VU  
PRIVACY SCREEN

Ensure your valuable information is kept  
private, without compromising screen  
clarity. Meet new standards in protection  
with this anti-glare privacy screen that  
also filters blue light.



DELL PRO STEREO  
HEADSET - UC350

Communicate clearly with a headset  
optimized to provide in-person sound quality,  
certified for Microsoft Skype for Business.



DELL WIRELESS KEYBOARD  
AND MOUSE - KM636

Compact design and chiclet keys, this essential  
desktop solution offers the convenience of  
wireless and clutter-free performance.



TARGUS STYLUS FOR  
CAPACITIVE TOUCH DEVICES

This convenient stylus features a durable rubber  
tip that won't scratch the screen and allows  
the user to type accurately and comfortably.  
It requires no power or software to operate.



DELL WIRED MOUSE WITH  
FINGERPRINT READER - MS819

Wired mouse with fingerprint reader offers  
convenient and secure login and online  
access without passwords

# Built for business

## Dell Technologies Unified Workspace

Dell Technologies Unified Workspace is the most comprehensive solution to deploy, secure, manage and support virtually all devices from the cloud. We designed this revolutionary solution with intelligence and automation providing you with visibility across the entire endpoint environment. We help you save time, improve user experience, optimize resources and strengthen security.



### DEPLOY

Our modern deployment solution, ProDeploy in the Unified Workspace allows you to revolutionize the way deployment gets done. By spending just one hour for set up, IT can then hand deployment to Dell and have preconfigured systems shipped directly to the end users--wherever they are.



### SECURE

Dell Endpoint Security for the Unified Workspace helps you manage growing cyber risks while embracing workforce transformation. With Dell SafeGuard and Response powered by Secureworks, you gain actionable insight to help you quickly and efficiently prevent, detect and respond to cyber-attacks - keeping your environment free from harm.



### MANAGE

We integrated our hardware management solution Dell Client Command Suite with VMware Workspace ONE, allowing you to take advantage of unified endpoint management (UEM) and manage the firmware, operating system and applications for all devices from the Workspace ONE console. UEM simplifies the management of the entire environment saving IT time from having to work between separate consoles for PCs and phones.



### SUPPORT

ProSupport Plus continues to be the only predictive and proactive support in the market. When compared to key competitors, ProSupport Plus with SupportAssist reduced time to resolve a failed hard drive with up to 11x faster time to resolution\*

\*Based on a Principled Technologies test report, "Spend Less Time and Effort Troubleshooting Laptop Hardware Failures" dated April 2018. Testing ommisioned by Dell, conducted in the United States. Actual results will vary. Full report: <http://facts.pt/L52XKM>

# Features & Technical Specifications

## OPTIPLEX 7470 ALL-IN-ONE

Feature	OptiPlex 7470 All-in-One Technical Specifications <sup>1</sup>
Processors <sup>1</sup>	Intel® Core™ i3-9100 (4 Cores/6MB/4T/3.6GHz to 4.2GHz/65W); supports Windows 10/Linux Intel® Core™ i3-9300 (4 Cores/8MB/4T/3.7GHz to 4.3GHz/65W); supports Windows 10/Linux Intel® Core™ i5-9400 (6 Cores/9MB/6T/2.9GHz to 4.1GHz/65W); supports Windows 10/Linux Intel® Core™ i5-9500 (6 Cores/9MB/6T/3.0GHz to 4.4GHz/65W); supports Windows 10/Linux Intel® Core™ i5-9600 (6 Cores/9MB/6T/3.1GHz to 4.6GHz/65W); supports Windows 10/Linux Intel® Core™ i7-9700 (8 Cores/12MB/8T/3.0GHz to 4.8GHz/65W); supports Windows 10/Linux Intel® Core™ i9-9900 (8 Cores/16MB/16T/3.1GHz to 4.9GHz/65W); supports Windows 10/Linux
Chipset	Intel® Q370 Chipset
Operating System Options <sup>1</sup>	Microsoft® Windows 10 Home (64-bit) Microsoft® Windows 10 Pro (64-bit) Microsoft® Windows 10 Embedded (OEM only) Ubuntu 18.04 (64-bit) (Available August 2019) NeoKylin 6.0 (China only)
Panel	23.8" IPS Wide Viewing Angle WLED, Full HD 1920x 1080 resolution; optional projected capacitive touch screen with Glare-free finish;
Video <sup>2</sup>	Intel Integrated HD Graphics 630 Optional Discrete Graphics Card - NVIDIA GeForce® GTX 1050, 4GB
Memory <sup>2,3</sup>	4GB (1x4GB) 2666MHz DDR4 8GB (2x4GB) 2666MHz DDR4 8GB (1x8GB) 2666MHz DDR4 16GB (2x8GB) 2666MHz DDR4 16GB (1x16GB) 2666MHz DDR4 32GB (2x16GB) 2666MHz DDR4 (2400MHz performance on Celeron, Pentium, and i3 processors)
Networking <sup>4</sup>	Integrated Intel® I219-LM Ethernet LAN 10/100/1000 Qualcomm® QCA61x4A Dual-band 2x2 802.11ac Wireless with MU-MIMO + Bluetooth 4.2 (Optional) Intel® Wireless-AC 9560, Dual-band 2x2 802.11ac Wi-Fi with MU-MIMO + Bluetooth 5 (Optional) Intel® Wireless-AX200, Dual-Band 2x2 802.11ax Wireless with MU-MIMO + Bluetooth® 5 (Optional)
I/O Ports	1xUSB 3.1 Type C Gen 2 (side) 1xUSB 3.1 Type A Gen 1 with PowerShare (side) 2xUSB 3.1 Type A Gen 1 (rear) 2xUSB 3.1 Type A Gen 2 (rear) 1 Smart card Reader Slot (Side) 1 DisplayPort (DP++) 1 HDMI In (rear) 1 HDMI Out (rear) 1 Universal Audio Jack (side) 1 Audio Line-Out (rear) 1 RJ-45 (rear) 1 Power Connection (rear)
Number of Bays	One internal 2.5 inch
Expansion Slots	Two M.2 connectors (one for Wi-Fi card, one for Solid State Drive)
Removable Media	SD 4.0 Media Card Reader (standard) Optional DVD +/-RW Via Height Adjustable Stand
Storage Options <sup>1,5</sup>	Dual storage option RAID 0 & 1 support available on select configurations (Available August 2019) 2.5 inch 500GB 5400rpm SATA Hard Disk Drive 2.5 inch 500GB 7200rpm SATA Hard Disk Drive 2.5 inch 500GB 7200rpm FIPS Self Encrypting Opal 2.0 Hard Disk Drive 2.5 inch 1TB 7200rpm SATA Hard Disk Drive 2.5 inch 1TB 5400rpm SATA Hard Disk Drive 2.5 inch 2TB 5400rpm SATA Hard Disk Drive M.2 128GB PCIe NVMe Class 35 Solid State Drive M.2 1TB PCIe Class 40 Solid State Drive M.2 2TB PCIe Class 40 Solid State Drive M.2 256GB PCIe NVMe Class 40 Solid State Drive M.2 256GB PCIe NVMe Class 35 Solid State Drive M.2 512GB PCIe NVMe Class 40 Self Encrypting Opal 2.0 Solid State Drive M.2 512GB PCIe NVMe Class 40 Solid State Drive M.2 512GB PCIe NVMe Class 35 Solid State Drive

# Features & Technical Specifications

## OPTIPLEX 7470 ALL-IN-ONE

OptiPlex 7470 All-in-One Technical Specifications <sup>1</sup>				
Feature				
Intel® Optane™ Memory	M.2 Intel® Optane™ memory 16GB			
Camera	Optional 2.0MP Full HD Webcam with Pop-up privacy feature. Also available with Full HD Infrared Webcam (Supports Windows Hello)			
Power Supply Unit (PSU) <sup>1</sup>	80 PLUS internal Power Supply Unit; optional 155W EPA Bronze or 200W EPA Platinum			
Panel Type	Measurement	Full HD Non-Touch & Touch		
	Dimensions (w/o stand) (H x W x D)	13.54 x 21.26 x 2.07 in 34.39 x 54.00 x 5.26 cm		
	Minimum System Weight (lbs./kg)	Non-Touch: 13.31 / 6.04, Touch: 13.33 / 6.05		
Peripherals Options <sup>1</sup>	<b>Stylus:</b> Targus Stylus for Capacitive Touch Devices <b>Keyboards:</b> Dell wired multimedia keyboards, Dell wireless keyboards, Dell Smart Card keyboard <b>Mouse:</b> Dell wired mouse, Dell wireless mouse, Dell USB Laser mouse, Dell Fingerprint Reader Mouse <b>Audio:</b> Optional external speakers, Dell Pro Stereo Headset <b>Security :</b> Dell Lockable Port Cover, Noble Custom AiO Plate Lock, select Kensington MicroSaver, Privacy Screens, Protection screen cover and ClickSafe locks <b>Additional Monitors:</b> Qualified with select Dell UltraSharp, Professional, and E series monitors			
Stand Type (Panel also supports VESA)	Measurement	Basic Stand	Height Adjustable Stand	Articulating Stand
	Stand Weight (lbs./kg)	4.96 / 2.42	6.26 / 2.94	6.61 / 3.0
	Stand Width x Depth (inches / centimeters)	10.11 x 7.60 / 25.69 x 19.32	10.12 x 8.86 / 25.70 x 22.50	10.01 x 9.99 / 25.43 x 25.38
	Stand Height (centimeters)	40.98 - 42.17	41.73 - 53.06	12.85 - 41.94
Collaboration Software	Optional Intel Unite® solution and Skype for Business			
Software Security	SafeGuard and Response (powered by Secureworks), Next Generation Antivirus (NGAV), Endpoint Detection and Response (EDR), Managed Endpoint Detection and Response, Incident Management Retainer, SafeData: includes Dell Data Guardian, Dell Encryption, Dell Endpoint Security Services			
Hardware Security	SafeBIOS: includes Dell Off-host BIOS Verification, BIOS Resilience, BIOS Recovery, and additional BIOS Controls; SafeID credential protection; Trusted Platform Module (TPM) 2.0 <sup>6</sup> , Self-Encrypting Storage Drives (Opal, FIPS), <b>Physical Security Options:</b> Chassis lock slot support, Chassis Intrusion Switch, Lockable Port Cover, Smart Card Keyboard, Dell Wired Mouse with Fingerprint Reader			
Systems Management	Dell Client Command Suite for In-Band systems management Intel® Standard Manageability or Intel® vPro™ for Out-of-Band systems management			
Environmental & Regulatory Standards	ENERGY STAR, EPEAT Registered <sup>7</sup> , TCO Edge Certified, CEL, WEEE, Japan Energy Law, China RoHS <sup>8</sup> Other Environmental Options: Carbon Offset, Asset Resale and Recovery Service			
Warranty and Service	Limited Hardware Warranty <sup>9</sup> , Standard Next Business Day OnSite Service after Remote Diagnosis <sup>10</sup> (term varies by region); Optional 3-year Dell ProSupport™ and ProSupport Plus™; 4 year and 5 year service and support options <sup>11</sup>			
Configuration Services	Factory Image load, BIOS Customization, Hardware Customization, Asset Tagging and Reporting			





## OPTIPLEX 7470 ALL-IN-ONE

# Powerful solutions in a single, elegant design.

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on [www.dell.com](http://www.dell.com).
2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
3. 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
4. Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality
5. Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
6. TPM is available in selected regions.
7. Please refer to [www.epeat.net](http://www.epeat.net) for specific country registration rating and participation.
8. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information [www.dell.com/support/home/us/en/19](http://www.dell.com/support/home/us/en/19).
9. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty).
10. Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty ([www.dell.com/warranty](http://www.dell.com/warranty)) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
11. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit [www.dell.com/servicedescriptions](http://www.dell.com/servicedescriptions).